ONE

SIMPLICITY WITHIN REACH

Direct USB Intra-oral Sensor

öwandy

One

THE INTRA-ORAL SENSOR
THAT IS ACCESSIBLE AND EASY TO USE

THE CONCENTRATION OF TECHNOLOGY MAKES INTRA-ORAL IMAGING EVEN EASIER

- Endodontics
- Prosthetic and implant surgery
- Periodontics
- Caries diagnosis

All in one
Design and ergonomic sensor with leading-edge CMOS technology

Simple
Easy installation: direct USB connection and 3 metre cable

Accessible
Technology at your fingertips

Adaptable
Fits into your practice

All in one

One is an intra-oral sensor equipped with CMOS technology. Its ergonomics and design have been conceived to adapt perfectly to your practice. The rounded corners and bevelled edges of the device provide you and your patient a true ease of positioning.

The comfort in the mouth is optimised by the thinness of the sensor and cable.

ONE
Direct USB
Intra-oral Sensor

Simple

Thanks to its direct USB connection, the **One** sensor is very easy to use in single or multi workstation setups. The length of the cable (3 meters) affords greater flexibility of installation, regardless of the layout of your practice.

Accessible

With **One**, you can equip your practice with a device boasting the very latest CMOS technology at a very affordable price. This compact technology (combination of an optical fibre, scintillator and shock absorption system) is the mark of high reliability equipment.



Adaptable

The **One** sensor is available in two sizes (#1 and #2) to suit your working methods (bitewing, retro-alveolar, posterior, etc.) It can be used for periodontics, endodontics, prosthetic and implant surgery and also for the diagnosis of tooth decay.

Finally, the device
is completely water-tight.
You have a choice of disinfection methods
(spraying, dipping and more).

One is the only sensor that is 100% integrated with Quickvision. You can therefore save your images directly in the dental plan of your patient.

ONE
Direct USB
Intra-oral Sensor

Technical Specifications

Sensor technology: CMOS

External dimensions of the sensor (Length x width x thickness):
39 x 25 x 5 mm (#1)
43 x 31 x 5 mm (#2)

Sensitive area:
30 x 20 mm (600mm²) - (#1)
34 x 26 mm (900mm²) - (#2)

Sensitive area in pixels:
1500 x 1000 pixels (#1)
1700 x 1300 pixels (#2)

Length of sensor cable: 3 m

Grayscale: 14-bit (16,384 greyscale levels)

Connection: Standard USB:
USB 2.0 High-Speed (480Mbit/s) and USB 3.0.

Owandy is an international player and is renowned for manufacturing dental imaging solutions and developing imaging and practice management software. Its software is used by around half of the dental practitioners in France today and its range of digital imaging solutions is available to dentists in more than 50 countries worldwide. In addition to its range of products and services, **Owandy** strives to contribute to the improvement of orodental health and the well being of patients. A committed and innovative company, **Owandy** has been the preferred partner for dentists for over 20 years.

B-EST COMMUNICATION - RCS Meaux 453 054 298 - 10/2013 - ONE – EN

Dealer's stamp

Owandy
Le Coruscant - 2, rue des Vieilles Vignes
77183 Croissy-Beaubourg
FRANCE
Tel : +33 (0)1 64 11 18 18
Fax : +33 (0)1 64 11 18 10
Email : info@owandy.com
www.owandy.com

owandy

SOFTWARE
DIGITAL SENSORS
PANORAMIC (2D and 3D).
INTRAORAL RADIOLOGY
CAMERAS